

L Number	Hits	Search Text	DB	Time stamp
1	11434	electrode\$1 near5 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:12
2	8808	(electrode\$1 near5 (hous\$3)) and (drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)	USPAT; IBM_TDB	2004/09/30 10:07
3	9072	(electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)	USPAT; IBM_TDB	2004/09/30 10:08
4	122380	hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)	USPAT; IBM_TDB	2004/09/30 10:08
5	90300	electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)	USPAT; IBM_TDB	2004/09/30 10:10
6	2113	((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))	USPAT; IBM_TDB	2004/09/30 10:19
7	959	(electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)) and ((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))	USPAT; IBM_TDB	2004/09/30 10:10
8	535	((electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)) and ((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))) and temperature\$1	USPAT; IBM_TDB	2004/09/30 10:32
9	463	((electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)) and ((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))) and temperature\$1 and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))	USPAT; IBM_TDB	2004/09/30 10:32
10	8310	electrode\$1 near3 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:14
11	375	((electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)) and ((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))) and temperature\$1 and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1)) and (electrode\$1 near3 (hous\$3))	USPAT; IBM_TDB	2004/09/30 10:13
12	5082	(two plural\$7 electrodes) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:29
13	6	((electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5)) and ((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and ((electrode\$1 near5 (hous\$3)) and (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)))) and temperature\$1 and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1)) and (electrode\$1 near3 (hous\$3)) and ((two plural\$7 electrodes) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3))	USPAT; IBM_TDB	2004/09/30 10:21
14	2039	(hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and (electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5))	USPAT; IBM_TDB	2004/09/30 10:19

15	1098	((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and (electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5))) and temperature\$1	USPAT; IBM_TDB	2004/09/30 10:20
17	974	((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and (electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5))) and temperature\$1) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))	USPAT; IBM_TDB	2004/09/30 10:21
18	292	(electrode\$1) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:21
19	18	((electrode\$1) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)) and (((hous\$ near3 (deflect\$4 drill\$3 dismantl\$3 crack\$3 penetrat\$3 break\$3 open\$3)) and (electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5))) and temperature\$1) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1)))	USPAT; IBM_TDB	2004/09/30 10:22
20	8695	(detect\$3 drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:34
21	6944	((detect\$3 drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))	USPAT; IBM_TDB	2004/09/30 10:58
22	2496	((detect\$3 drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)	USPAT; IBM_TDB	2004/09/30 10:58
23	0	(detect\$3 drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (on) near2 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:37
25	254	((detect\$3 drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (on side\$1 structure\$1 frame\$1) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)) and electrode\$1	USPAT; IBM_TDB	2004/09/30 10:36
26	757	(detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (hous\$3)	USPAT; IBM_TDB	2004/09/30 10:59
27	643	((detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))	USPAT; IBM_TDB	2004/09/30 10:42

09/400,925

28	338	(((detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)	USPAT; IBM_TDB	2004/09/30 10:50
29	4733	((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.	USPAT; IBM_TDB	2004/09/30 10:48
31	1078	(((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3	USPAT; IBM_TDB	2004/09/30 10:53
30	40	(((detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (hous\$3)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)) and (electrode\$1 near3 (chang\$3 differenc\$2 two compar\$5))	USPAT; IBM_TDB	2004/09/30 10:51
32	5	((detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) near2 (hous\$3)) and (((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3)	USPAT; IBM_TDB	2004/09/30 10:54
33	799	(((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3) and (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3))	USPAT; IBM_TDB	2004/09/30 10:55
34	206	(((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3) and (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) ) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)	USPAT; IBM_TDB	2004/09/30 10:58

09/466,925

35	196	((((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3) and (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) ) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))	USPAT; IBM_TDB	2004/09/30 10:58
36	84892	(detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3))	USPAT; IBM_TDB	2004/09/30 11:00
37	27	((((711/100) or (235/437) or (235/439) or (235/440) or (235/441) or (235/444) or (235/446) or (235/450) or (235/451) or (235/453) or (701/8) or (348/373) or (348/818) or (348/823) or (348/824) or (348/828) or (713/194) or (713/200)).CCLS.) and hous\$3) and (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)) ) and (heat\$3 cold thermometer (thermo near sensor\$1) thermo-sensor\$1 temperature\$1)) and ((cancel\$6 eras\$3 delet\$4 remov\$3) near\$2 (data information memory storage\$1))) and ((detect\$3 determin\$6 monitor\$3 sens\$3) near2 (drill\$3 penetrat\$4 crack\$3 intrud\$3 intrus\$4 break\$3 open\$3 deflect\$4 (physical\$2 near impact\$3)))	USPAT; IBM_TDB	2004/09/30 11:00

09/466,925